

EEEEEEEEEEEEEEEE	RRRRRRRRRRRR	RRRRRRRRRRRR	FFFFFFFFFFFFFF	MMM	MMM	TTTTTTTTTTTTTT
EEEEEEEEEEEEEEEE	RRRRRRRRRRRR	RRRRRRRRRRRR	FFFFFFFFFFFFFF	MMM	MMM	TTTTTTTTTTTTTT
EEEEEEEEEEEEEEEE	RRRRRRRRRRRR	RRRRRRRRRRRR	FFFFFFFFFFFFFF	MMM	MMM	TTTTTTTTTTTTTT
EEE	RRR	RRR	FFF	MMMMMM	MMMMMM	TTT
EEE	RRR	RRR	FFF	MMMMMM	MMMMMM	TTT
EEE	RRR	RRR	FFF	MMMMMM	MMMMMM	TTT
EEE	RRR	RRR	FFF	MMM	MMM	TTT
EEE	RRR	RRR	FFF	MMM	MMM	TTT
EEE	RRR	RRR	FFF	MMM	MMM	TTT
EEEEEEEEEEEE	RRRRRRRRRRRR	RRRRRRRRRRRR	FFFFFFFFFFFFFF	MMM	MMM	TTT
EEEEEEEEEEEE	RRRRRRRRRRRR	RRRRRRRRRRRR	FFFFFFFFFFFFFF	MMM	MMM	TTT
EEEEEEEEEEEE	RRRRRRRRRRRR	RRRRRRRRRRRR	FFFFFFFFFFFFFF	MMM	MMM	TTT
EEE	RRR	RRR	FFF	MMM	MMM	TTT
EEE	RRR	RRR	FFF	MMM	MMM	TTT
EEE	RRR	RRR	FFF	MMM	MMM	TTT
EEE	RRR	RRR	FFF	MMM	MMM	TTT
EEE	RRR	RRR	FFF	MMM	MMM	TTT
EEE	RRR	RRR	FFF	MMM	MMM	TTT
EEEEEEEEEEEE	RRRRRRRRRRRR	RRRRRRRRRRRR	FFFFFFFFFFFFFF	MMM	MMM	TTT
EEEEEEEEEEEE	RRRRRRRRRRRR	RRRRRRRRRRRR	FFFFFFFFFFFFFF	MMM	MMM	TTT
EEEEEEEEEEEE	RRRRRRRRRRRR	RRRRRRRRRRRR	FFFFFFFFFFFFFF	MMM	MMM	TTT
EEE	RRR	RRR	FFF	MMM	MMM	TTT
EEE	RRR	RRR	FFF	MMM	MMM	TTT
EEE	RRR	RRR	FFF	MMM	MMM	TTT
EEE	RRR	RRR	FFF	MMM	MMM	TTT
EEEEEEEEEEEE	RRRRRRRRRRRR	RRRRRRRRRRRR	FFFFFFFFFFFFFF	MMM	MMM	TTT
EEEEEEEEEEEE	RRRRRRRRRRRR	RRRRRRRRRRRR	FFFFFFFFFFFFFF	MMM	MMM	TTT
EEEEEEEEEEEE	RRRRRRRRRRRR	RRRRRRRRRRRR	FFFFFFFFFFFFFF	MMM	MMM	TTT

EEEEEEEEEE	RRRRRRRR	RRRRRRRR	FFFFFFFF	MM	MM	TTTTTTTT
EEEEEEEEEE	RRRRRRRR	RRRRRRRR	FFFFFFFF	MM	MM	TTTTTTTT
EE	RR	RR	FF	MMM	MMM	TT
EE	RR	RR	FF	MMM	MMM	TT
EE	RR	RR	FF	MM	MM	TT
EE	RR	RR	FF	MM	MM	TT
EEEEEEEE	RRRRRRRR	RRRRRRRR	FFFFFFFF	MM	MM	TT
EEEEEEEE	RRRRRRRR	RRRRRRRR	FFFFFFFF	MM	MM	TT
EE	RR	RR	FF	MM	MM	TT
EE	RR	RR	FF	MM	MM	TT
EE	RR	RR	FF	MM	MM	TT
EE	RR	RR	FF	MM	MM	TT
EEEEEEEEEE	RR	RR	FF	MM	MM	TT
EEEEEEEEEE	RR	RR	FF	MM	MM	TT

MM	MM	AAAAAA	PPPPPPPP
MM	MM	AAAAAA	PPPPPPPP
MMM	MMM	AA	PP
MMM	MMM	AA	PP
MM	MM	AA	PP
MM	MM	AA	PP
MM	MM	AA	PPPPPPPP
MM	MM	AA	PPPPPPPP
MM	MM	AAAAAAAAAA	PP
MM	MM	AAAAAAAAAA	PP
MM	MM	AA	PP
MM	MM	AA	PP
MM	MM	AA	PP
MM	MM	AA	PP

+-----+
! Object Module Synopsis !
+-----+

Module Name	Ident	Bytes	File	Creation Date	Creator
ERRFMT	V04-000	3730	_\$255\$DUA28:[ERRFMT.OBJ]ERRFMT.OLB;1	16-SEP-1984 01:29	VAX/VMS Macro V04-00
SYS	V04-000	0	_\$255\$DUA28:[SYSOBJ]SYS.STB;1	16-SEP-1984 04:00	VAX-11 Linker V04-00
SY\$SIODEF	V04-000	0	_\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-SEP-1984 00:18	VAX/VMS Macro V04-00
LIB\$SPAWN	1-004	339	_\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-Sep-1984 01:15	VAX-11 Bliss-32 V4.0-742
LIB\$MSGDEF	2-018	0	_\$255\$DUA28:[SYSLIB]STARLET.OLB;2	15-SEP-1984 23:43	VAX-11 Message V04-00
SY\$SP1 VECTOR	V04-000	0	_\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-SEP-1984 00:40	VAX/VMS Macro V04-00
LIB\$ANALYZE_SDESC	1-003	101	_\$255\$DUA28:[SYSLIB]STARLET.OLB;2	15-SEP-1984 23:47	VAX/VMS Macro V04-00
LIB\$MSGDEF	2-018	0	_\$255\$DUA28:[SYSLIB]STARLET.OLB;2	15-SEP-1984 23:43	VAX-11 Message V04-00

+-----+
! Image Section Synopsis !
+-----+

Cluster	Type	Pages	Base Addr	Disk VBN	PFC	Protection and Paging	Global Sec. Name	Match	Majorid	Minorid
DEFAULT_CLUSTER	0	5	00000200	2	0	READ WRITE COPY ON REF				
	0	4	00000C00	7	0	READ ONLY				
	0	1	00001400	11	0	READ WRITE COPY ON REF				
	0	1	00001600	12	0	READ WRITE FIXUP VECTORS				
	253	20	7FFFD800	0	0	READ WRITE DEMAND ZERO				

Key for special characters above:

+-----+
! R - Relocatable !
! P - Protected !
+-----+

+-----+
! Program Section Synopsis !
+-----+

Psect Name	Module Name	Base	End	Length	Align	Attributes
DATA	ERRFMT	00000200	00000A45	00000846 (2118.) PAGE 9	NOPIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD, WRT,NOVEC
		00000200	00000A45	00000846 (2118.) PAGE 9	
_LIB\$DATA	LIB\$ANALYZE_SDESC	00000A48	00000A48	00000000 (0.) LONG 2	PIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD, WRT,NOVEC
		00000A48	00000A48	00000000 (0.) LONG 2	
CODE	ERRFMT	00000C00	00001233	00000634 (1588.) BYTE 0	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD,NOWRT,NOVEC
		00000C00	00001233	00000634 (1588.) BYTE 0	
_LIB\$CODE	LIB\$SPAWN	00001234	000013EC	000001B9 (441.) LONG 2	PIC,USR,CON,REL,LCL, SHR, EXE, RD,NOWRT,NOVEC
	LIB\$ANALYZE_SDESC	00001234	00001386	00000153 (339.) LONG 2	
		00001388	000013EC	00000065 (101.) LONG 2	
\$RMSNAM	ERRFMT	00001400	00001417	00000018 (24.) BYTE 0	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC
		00001400	00001417	00000018 (24.) BYTE 0	

```

+-----+
! Symbol Cross Reference !
+-----+

```

Symbol	Value	Defined By	Referenced By ...
CON\$SENDCONSCMD	800035DA	SYS	ERRFMT
ERF\$ERRSNAP	0000114A-R	ERRFMT	
ERF\$GETBUF	000010AB-R	ERRFMT	
ERF\$INIT	00000F52-R	ERRFMT	
ERF\$MOUNT	00000FB9-R	ERRFMT	
ERF\$SNAPSHOT_COPIED	000011E8-R	ERRFMT	
ERF\$SNAPSHOT_PRESENT	000011D4-R	ERRFMT	
ERF\$START	00000C2F-R	ERRFMT	
ERF\$TIMSTMP	00000F8E-R	ERRFMT	
ERL\$ALLOCEMB	8000CC52	SYS	ERRFMT
ERL\$AL_BUFADDR	80003188	SYS	ERRFMT
ERL\$GB_BUFPTR	80003192	SYS	ERRFMT
ERL\$GL_ERLPID	80003194	SYS	ERRFMT
ERL\$RECEASEMB	8000CD26	SYS	ERRFMT
EXE\$GB_CPUTYPE	80003FA0	SYS	ERRFMT
EXE\$GL_MSGFLAGS	80003D9C	SYS	ERRFMT
EXE\$GQ_ERLMBX	800029A8	SYS	ERRFMT
EXE\$IPID_TO_EPID	8000B4AA	SYS	ERRFMT
EXE\$V_DISMODMSG	00000001	SYS	ERRFMT
EXE\$V_MOUNTMSG	00000000	SYS	ERRFMT
IOSM_NOW	00000040	SYSS\$IODEF	ERRFMT
IOS_WRITEVBLK	00000030	SYSS\$IODEF	ERRFMT
LIB\$ANALYZE_SDESC	00001388-R	LIB\$ANALYZE_SDESC	
LIB\$ANALYZE_SDESC_R2	0000139D-R	LIB\$ANALYZE_SDESC	LIB\$SPAWN
LIB\$SPAWN	00001234-R	LIB\$SPAWN	ERRFMT
LIB\$_INVARG	00158234	LIB\$MSGDEF	LIB\$SPAWN
LIB\$_INVSTRDES	00158224	LIB\$MSGDEF	LIB\$ANALYZE_SDESC
LIB\$_NOCLI	0015837C	LIB\$MSGDEF	LIB\$SPAWN
SCH\$GL_CURPCB	800021F8	SYS	ERRFMT
SYSS\$ASSIGN	7FFEDE50	SYS	ERRFMT
SYSS\$CLI	7FFEDE18	SYSS\$P1_VECTOR	LIB\$SPAWN
SYSS\$CLOSE	7FFEE1B8	SYS	ERRFMT
SYSS\$CMKRNL	7FFEDE90	SYS	ERRFMT
SYSS\$CONNECT	7FFEE1C0	SYS	ERRFMT
SYSS\$CREATE	7FFEE1C8	SYS	ERRFMT
SYSS\$DASSGN	7FFEDDE0	SYS	ERRFMT
SYSS\$DELPRC	7FFEDF08	SYS	ERRFMT
SYSS\$FAO	7FFEDF50	SYS	ERRFMT
SYSS\$FIND	7FFEE170	SYSS\$P1_VECTOR	ERRFMT
SYSS\$GETCHN	7FFEE0C8	SYS	ERRFMT
SYSS\$GETDVI	7FFEE410	SYSS\$P1_VECTOR	ERRFMT
SYSS\$GETMSG	7FFEE0B0	SYS	ERRFMT
SYSS\$HIBER	7FFEDF88	SYS	ERRFMT
SYSS\$K_VERSION	48513258	SYS	
SYSS\$OPEN	7FFEE208	SYS	ERRFMT
SYSS\$PUT	7FFEE188	SYS	ERRFMT
SYSS\$QIO	7FFEDFC8	SYS	ERRFMT
SYSS\$SETIMR	7FFEE020	SYS	ERRFMT
SYSS\$NDOPR	7FFEDFC0	SYSS\$P1_VECTOR	ERRFMT

Symbol	Value	Defined By	Referenced By ...
-----	-----	-----	-----
SYSSUPDATE	7FFEE1A0	SYSP1_VECTOR	ERRFMT
SYSSWAITFR	7FFEE078	SYS	ERRFMT

+-----+
! Symbols By Value !
+-----+

Value

Symbols...

00000000	EXESV_MOUNTMSG
00000001	EXESV_DISMOUMSG
00000030	IOS_WRITEVBLK
00000040	IOS_NOW
00000C2F	R-ERF\$START
00000F52	R-ERF\$INIT
00000F8E	R-ERF\$TIMSTMP
00000FB9	R-ERF\$MOUNT
000010AB	R-ERF\$GETBUF
0000114A	R-ERF\$ERRSNAP
000011D4	R-ERF\$SNAPSHOT_PRESENT
000011E8	R-ERF\$SNAPSHOT_COPIED
00001234	R-LIB\$SPAWN
00001388	R-LIB\$ANALYZE_SDESC
0000139D	R-LIB\$ANALYZE_SDESC_R2
00158224	LIB\$_INVSTRDES
00158234	LIB\$_INVARG
0015837C	LIB\$_NOCLI
48513258	SYSSR_VERSION
7FFFE18	SYSSCI
7FFFE50	SYSSASSIGN
7FFFE90	SYSSCMKRN
7FFFEDE0	SYSSDASSGN
7FFFEDF08	SYSSDELPRC
7FFFEDF50	SYSSFAO
7FFFEDF88	SYSSHIBER
7FFEDFC0	SYSSSNDOPR
7FFEDFC8	SYSSQIO
7FFEE020	SYSSSETIMR
7FFEE078	SYSSWAITFR
7FFEE0B0	SYSSGETMSG
7FFEE0C8	SYSSGETCHN
7FFEE170	SYSSFIND
7FFEE188	SYSSPUT
7FFEE1A0	SYSSUPDATE
7FFEE1B8	SYSSCLOSE
7FFEE1C0	SYSSCONNECT
7FFEE1C8	SYSSCREATE
7FFEE208	SYSSOPEN
7FFEE410	SYSSGETDVI
800021F8	SCH\$GL_CURPCB
800029A8	EXESGL_ERLMBX
80003188	ERL\$AL_BUFADDR
80003192	ERL\$GB_BUFPTR
80003194	ERL\$GL_ERLPID
800035DA	CON\$SENDCONSCMD
80003D9C	EXESGL_MSGFLAG
80003FA0	EXESGB_CPUTYPE
8000B4AA	EXESIPID_TO_EPID

Value

Symbols...

8000CC52
8000CD26

ERL\$ALLOCEMB
ERL\$RELEASEMB

Key for special characters above:

*	-	Undefined
U	-	Universal
R	-	Relocatable
X	-	External

! Image Synopsis !

Virtual memory allocated: 00000200 000017FF 00001600 (5632. bytes, 11. pages)
Stack size: 20. pages
Image header virtual block limits: 1. (1. block)
Image binary virtual block limits: 2. (11. blocks)
Image name and identification: ERRFMT VC4-000
Number of files: 4.
Number of modules: 8.
Number of program sections: 9.
Number of global symbols: 50.
Number of cross references: 92.
Number of image sections: 5.
User transfer address: 00000C2F
Image type: EXECUTABLE.
Map format: FULL WITH CROSS REFERENCE in file _\$255\$DUA28:[ERRFMT.LIS]ERRFMT.MAP;1
Estimated map length: 37. blocks

! Link Run Statistics !

Performance Indicators

	Page Faults	CPU Time	Elapsed Time
Command processing:	112	00:00:00.35	00:00:01.59
Pass 1:	104	00:00:01.66	00:00:18.94
Allocation/Relocation:	27	00:00:00.16	00:00:00.88
Pass 2:	42	00:00:00.63	00:00:05.18
Map data after object module synopsis:	22	00:00:00.44	00:00:00.77
Symbol table output:	2	00:00:00.03	00:00:00.27
Total run values:	309	00:00:03.27	00:00:27.63

Using a working set limited to 1050 pages and 36 pages of data storage (excluding image)

Total number object records read (both passes): 400
of which 145 were in libraries and 2 were DEBUG data records containing 267 bytes

Number of modules extracted explicitly = 1
with 6 extracted to resolve undefined symbols

43 library searches were for symbols not in the library searched

A total of 0 global symbol table records was written

LINK/USERLIB=PROC/NOSYSSHR/NOTRACE/EXE=EXES:ERRFMT/MAP=MAPS:ERRFMT/FULL/CROSS LIBS:ERRFMT/INCLUDE=ERRFMT/LIBR,EXSM:SYS.STB/SELECTIVE

0155 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

